## **RAW SEQUENCE LISTING**

The Biotechnology Systems Branch of the Scientific and Technical Information Center (STIC) no errors detected.

Application Serial Number:	/0/533,595
Source:	IFWO.
Date Processed by STIC:	5/1/06
· ·	

## ENTERED



DATE: 05/01/2006

**IFWO** 

```
PATENT APPLICATION: US/10/533,595
                                                             TIME: 13:01:04
                     Input Set : A:\15878.seq.txt
                    Output Set: N:\CRF4\05012006\J533595.raw
     3 <110> APPLICANT: Sacktor, Todd Charlton
             Crary, John Fonda
             Hernandez, Alejandro Ivan
             Mirra, Suzanne
     6
             Shao, Charles
     9 <120> TITLE OF INVENTION: ATYPICAL PROTEIN KINASE C ISOFORMS IN DISORDERS OF THE
NERVOUS
    10
             SYSTEM AND CANCER
    12 <130> FILE REFERENCE: 15878
    14 <140 CURRENT APPLICATION NUMBER: 10/533,595
    13 <141> CURRENT FILING DATE: 2005-05-02
    17 <150> PRIOR APPLICATION NUMBER: PCT/US2003/035231
    18 <151> PRIOR FILING DATE: 2003-11-03
    20 <160> NUMBER OF SEQ ID NOS: 16
    22 <170> SOFTWARE: PatentIn version 3.2
    24 <210> SEQ ID NO: 1
    25 <211> LENGTH: 16
    26 <212> TYPE: PRT
    27 <213> ORGANISM: Homo sapiens
    29 <400> SEQUENCE: 1
    31 Thr Asp Pro Lys Met Asp Arg Ser Gly Gly Arg Val Arg Leu Lys Cys
    32 1
                        5
                                            10
    35 <210> SEQ ID NO: 2
    36 <211> LENGTH: 16
    37 <212> TYPE: PRT
    38 <213> ORGANISM: Homo sapiens
    40 <400> SEOUENCE: 2
    42 Thr Leu Pro Pro Phe Gln Pro Gln Ile Thr Asp Asp Tyr Gly Leu Cys
    43 1
                                            10
    46 <210> SEQ ID NO: 3
    47 <211> LENGTH: 14
    48 <212> TYPE: PRT
    49 <213> ORGANISM: Homo sapiens
    51 <400> SEQUENCE: 3
    53 Glu Tyr Ile Asn Pro Leu Leu Ser Ala Glu Glu Ser Val
    54 1
                        5
                                            10
    57 <210> SEQ ID NO: 4
    58 <211> LENGTH: 2349
    59 <212> TYPE: DNA
    60 <213> ORGANISM: Homo sapiens
    62 <400> SEQUENCE: 4
    63 ggcacgaggg ccccgcgcgc cgccggagtt ccgcggagtt gaccgggtcg gcgccgtcgg
                                                                               60
    65 teetgagege tgeetteege gtteegeege ggeeceaeet ggageeeeeg eeeegegeea
                                                                              120
    67 tggccggagc tcccggggcg cagcgctgac ggcggcgggg ggagcgccc atgcccagca
                                                                              180
```

RAW SEQUENCE LISTING

Input Set : A:\15878.seq.txt

69 ggaccggccc caagatggaa gggagcggcg gccgcgtccg cctcaaggcg cat	tacgggg 240
71 gggacatett cateaceage gtggacgeeg ceaegacett egaggagete tgt	gaggaag 300
73 tgagagacat gtgtcgtctg caccagcagc acccgctcac cctcaagtgg gtg	gacagcg 360
75 aaggtgaccc ttgcacggtg tcctcccaga tggagctgga agaggctttc cgc	ctggccc 420
77 gtcagtgcag ggatgaaggc ctcatcattc atgttttccc gagcacccct gag	cagcctg 480
79 geetgeeatg teegggagaa gacaaateta tetacegeeg gggageeaga aga	tggagga 540
81 agetgtaceg tgccaaegge cacetettee aagecaageg etttaaeagg aga	gogtact: 600
83 geggteagtg cagegagagg atatggggee tegegaggea aggetaeagg tge	atcaact 660
85 gcaaactgct ggtccataag cgctgccacg gcctcgtccc gctgacctgc agg	aagcata 720
87 tggattctgt catgccttcc caagagcctc cagtagacga caagaacgag gac	gccgacc 780
89 ttccttccga ggagacagat ggaattgctt acatttcctc atcccggaag cat	gacagca 840
91 ttaaagacga ctcggaggac cttaagccag ttatcgatgg gatggatgga atc	aaaatct 900
93 ctcaggggct tgggctgcag gactttgacc taatcagagt catcgggcgc ggg	agctacg 960
95 ccaaggttct cctggtgcgg ttgaagaaga atgaccaaat ttacgccatg aaa	gtggtga 1020
97 agaaagagct ggtgcatgat gacgaggata ttgactgggt acagacagag aag	cacgtgt 1080
99 ttgagcaggc atccagcaac cccttcctgg tcggattaca ctcctgcttc cag	acgacaa 1140
101 gtcggttgtt cctggtcatt gagtacgtca acggcgggga cctgatgttc ca	catgcaga 1200
103 ggcagaggaa gctccctgag gagcacgcca ggttctacgc ggccgagatc tg	catcgccc 1260
105 towardboot geacgagagg gggateatet acagggacet gaagetggae aa	agtactad 1320 -
107 tggatgcgga cgggcacatc aagctcacag actacggcat gtgcaaggaa gg	cctgggcc 1380
109 ctggtgacac aacgagcact ttctgcggaa ccccgaatta catcgccccc ga	aatcctgc 1440
111 ggggagagga gtacgggttc agcgtggact ggtgggcgct gggagtcctc at	gtttgaga 1500
113 tgatggccgg gcgctccccg ttcgacatca tcaccgacaa cccggacatg aa	cacagagg 1560
115 actacctttt ccaagtgatc ctggagaagc ccatccggat cccccggttc ct	gtccgtca 1620
117 aagcctccca tgttttaaaa ggatttttaa ataaggaccc caaagagagg ct	cggctgcc 1680
119 ggccacagac tggattttct gacatcaagt cccacgcgtt cttccgcagc at	agactggg 1740
121 acttgctgga gaagaagcag gcgctccctc cattccagcc acagatcaca ga	cgactacg 1800
123 gtctggacaa ctttgacaca cagttcacca gcgagcccgt gcagctgacc cc	agacgatg 1860
125 aggatgccat aaagaggatc gaccagtcag agttcgaagg ctttgagtat at	caacccat 1920
127 tattgctgtc caccgaggag tcggtgtgag gccgcgtgcg tctctgtcgt gg	acacgcgt 1980
129 gattgaccct ttaactgtat ccttaaccac cgcatatgca tgccaggctg gg	
131 cgagggcggc cagggacaga cgcttgcgcc gagaccgcag agggaagcgt ca	gcgggcgc 2100
133 tgctgggagc agaacagtcc ctcacacctg ggcccgggca ggccagcttc gt	gctggagg 2160
135 aacttgctgc tgttcctgcg tcgcggcgga tccgcgggga ccctgccgag gg	ggctgtca 2220
137 tgcggtttcc aaggtgcaca ttttccacgg aaacagaact cgatgcactg ac	ctgctccg 2280
139 ccaggaaagt gagcgtgtag cgtcctgagg aataaaatgt tccgatgaaa aa	aaaaaaa 2340
141 aaaaaaaaa	2349
144 <210> SEQ ID NO: 5	
145 <211> LENGTH: 2252	
146 <212> TYPE: RNA	
147 <213> ORGANISM: Homo sapiens	
150 <220> FEATURE:	
151 <221> NAME/KEY: CDS	
152 <222> LOCATION: (638)(1864)	
154 <400> SEQUENCE: 5	
155 cgaugucgca uuuucaaggu ccgcugaguc cgagcccugc cugggucugg cu	gcugcccg 60
157 cccgcucucu ggacugugcu gaugcagaga ugcuuguuuu ccugugacgu ca	gcgucagc 120
159 uccugcacau ccaugccgug uuuuaguuug ugccucagcu gcuggcuaca gc	uucccggg 180
161 ggagccgggu accacccggg ccuggagaca ugaggaggca gggaugugag gg	gcggggga 240

Input Set : A:\15878.seq.txt

													-	-		_	cuauug	300
										_	_					_	cuccc	360
																-	gaaagc	420
																	ggcca	480
																	gaggau	540
							-					_		_			ıaagcg	600
		cugo	ccac	ggc (	cucgi	rccc	ge uç	3-3 CG	igca(	g gaa	agcaı						ccu	655
	176												: Asp	Sei	· Val		Pro	
	177											1				5		
							gua											703
		Ser	GIn	Glu		Pro	Val	Asp	Asp	_	Asn	Glu	Asp	Ala	_	Leu	Pro	
	181				10					15					20			
							gga											751
		Ser	Glu		Thr	Asp	Gly	IIe		Tyr	He	Ser	Ser		Arg	Lys	His	
	185			25					30					35				
							gac											799
		Asp		тте	гÀг	Asp	Asp		GIU	Asp	Leu	ьуs		Val	шe	Asp	GIY	
	189		40					45					50					
•		_	_				aud:		_				_	_	_		_	<b>247</b> .
			Asp	GLY	тте	ьуs	Ile	ser	GIn	GIĀ	Leu		Leu	GIn	Asp	Phe	_	
	193						60					65					70	005
							ggg											895
		ьeu	тте	Arg	vai		Gly	Arg	GIY	ser	_	Ala	гуѕ	vai	Leu		vai	
	197		~		~	75	~~~				80			~~	~~	85		043
							gac											943
	201	Arg	цец	цув	90	ASII	Asp	GIII	TIE	95	Ala	Mec	цу́г	vai	100	цуѕ	пуъ	
		aaa	CHG	ana		Can	gac	asa	(Ta))		a a a	ווממ	ana	cac		asa	220	991
							Asp											991
	205	Giu	шец	105	1112	App	Map	GIU	110	110	rop	ııp	var	115	1111	Giu	цур	
		cac	ana		gag	cad	gca	1100		aac	CCC	11110	CHG		aaa	11112	cac	1039
							Ala											1033
	209		120			02		125					130	, u	<b>0</b> -1	Lou		
		ucc		uuc	cag	acq	aca		caa	11110	uuc	cua		auu	gag	uac	guc	1087
							Thr											
	213		-2-				140		3			145				-1-	150	
			aac	aaa	qac	cuq	aug	uuc	cac	aug	caq	agg	caq	agg	aaq	cuc		1135
							Met											
	217		4	-	•	155					160	,		ے		165		
	219	qaq	qaq	cac	qcc		uuc	uac	aca	qcc		auc	uqc	auc	qcc		aac	1183
							Phe											
	221				170			•		175			-		180			
	223	uuc	cuq	cac		aqq	999	auc	auc	uac	agg	qac	cuq	aaq		qac	aac	1231
							Gly											
	225			185		_	•		190	•	_	-		195		-		
		guc	cuc	cuq	gau	gcq	gac	ggq	cac	auc	aaq	cuc	aca	qac	uac	qqc	auq	1279
							Asp											
	229		200		•		•	205			-		210	-	-	-		
		ugc		gaa	ggc	cug	ggc	ccu	ggu	gac	aca	acg		acu	uuc	ugc	gga	1327
		-	_	-		_				-			_			_		

Input Set : A:\15878.seq.txt

232	Cys	Lys	Glu	Gly	Leu	Gly	Pro	Gly	Asp	Thr	Thr	Ser	Thr	Phe	Cys	Gly	
233						220					225					230	
							CCC										1375
236	Thr	Pro	Asn	Tyr		Ala	Pro	Glu	Ile		Arg	Gly	Glu	Glu		Gly	
237					235					240					245		
		_		_			gcg										1423
	Phe	Ser	Val	_	Trp	Trp	Ala	reń	_	.Wal.	Lieu	Met	Phe		Met	Met	
241				250					255					260			
							gac										1471
	Ala	GIY	_	Ser	Pro	Phe	Asp		iie	Thr	Asp	Asn		Asp	Met	Asn	
245			265					270					275		~~~		1510
							caa										1519
	Thr		Asp	Tyr	ьeu	Pne	Gln	vaı	тте	Leu	GIU	ьуs 290	PIO	тте	Arg	11e	
249		280					285	~~~			~			~~~			1567
				_		_	aaa	_			_						1367
		arg	Pne	Leu	ser	300	Lys	Ala	Ser	нтѕ	305	ьеи	пур	GLY	PHE	310	
253			~~~	~~~				aa	~~~			222	~~~	2011	~~~		1615
							agg Arg										1015
257	ASII	пур.	ASD	PIO	315	GIU	Arg	пец	Grego.	320	Arg	PIO	GIII	1111	325	FIIC	• • •
	,,,,,,,	<b>~</b> ~ ~	2110	224		a = a	~~~	11110	11110		200	2112	asa	ווממ		ma	1663
							gcg Ala										1005
261	SET	Asp	116	330	Ser	nis	AIa	FILE	335	Arg	Ser	110	тэр	340	лэр	Бец	
	CHG	nan	aad		cad	aca	cuc	CCII		ווווכ	cad	cca	cad	-	aca	gac	1711
							Leu										1,11
265	пси	O_u	345	,	0111	1114	Lou	350			0111		355				
	gac	nac	-	cua	gac	aac	uuu		aca	cag	uuc	acc		gag	ccc	ana	1759
							Phe										
269		360	2		,		365					370					
	caq	cuq	acc	cca	gac	gau	gag	qau	qcc	aua	aaq	agg	auc	qac	caq	uca	1807
							Glu										
	375				-	380		-			385	_		_		390	
275	gag	uuc	gaa	ggc	uuu	gag	uau	auc	aac	cca	uua	uug	cug	ucc	acc	gag	1855
							Tyr										
277					395					400					405	•	
279	gag	ucg	gug	ugag	ggcc	gcg ı	ıgcgı	ıcucı	ıg u	gug	gaca	g gcg	gugai	uuga			1904
280	Glu	Ser	Val														
283	CCCI	uuua	acu 🤉	guau	ccuu	aa c	cacc	gcaua	a ugo	caugo	ccag	gcu	gggc	acg 9	gcuc	cgaggg	1964
285	cgg	ccag	gga d	caga	cgcui	ng c	gccga	agaco	c gca	agag	ggaa	gcgı	ıcag	cgg s	gegei	ugcugg	2024
287	gage	cagaa	aca 🤉	gucco	cuca	ca c	cugg	cccg	g cag	ggcag	gcuu	cgu	gcug	gag g	gaacı	uugcug	2084
289	cugi	ıgccı	age g	gucgo	cggc	gg at	accg	cgggg	g ac	ccug	ccga	9999	ggcu	guc a	augc	gguuuc	2144
291	caag	ggug	cac a	auuuı	ıcca	cg ga	aaac	agaad	c uc	gaug	cacu	gac	cugci	ncc è	gcca	ggaaag	2204
						ag ga	aauaa	aaau	g uu	ccgaı	ıgaa	aaaa	aaaa	а			2252
			EQ II														
297	<21	l> L	ENGT	H: 80	0928												
			YPE:														
						o saj	pien	S									
301	<40	0> SI	EQUE	NCE:	6												
302	gcg	eggti	tcc g	ggct	gctc	cg go	cgag	gcga	c cct	ttgg	gtcg	gcg	ctgc	ggg (	cgag	gtgggc	60

Input Set : A:\15878.seq.txt

304	aggtaggtgg	gcggacggcc	gcggttctcc	ggcaagcgca	ggcggcggag	tcccccacgg	120	
306	cgcccgaagc	gccccccgc	accccggcc	tccagcgttg	aggcggggga	gtgaggagat	180	
308	gccgacccag	agggacagca	gcaccatgtc	ccacacggtc	gcaggcggcg	gcagcgggga	240	
310	ccattcccac	caggtccggg	tgaaagccta	ctaccgcggg	tgagtgtcct	gggacagggc	300	
312	ggtgggcggg	aggggacagg	ccggctccac	tcggcctgga	ggagggagg	gtgaggggct	360	
					tccggtgact		420	
						gccccaggt.	480	
318	atggcggtgc	ggggagccga	ggggccagag	tagggtccga	gaaggaagct	agggttagag	~540	
					gctttgtagg		600	
322	ccttaagtct	gggtgtattt	ggggttgcga	gttgaggatt	ccaagtgatg	ccttagttaa	660	
					tagctgtccg		720	
326	cagcaggcct	aacgcctctg	gttctctgag	atatacctcc	atccccgttg	tgttcacgta	780	
328	gtgtatctgc	actgccagta	tattagacat	aggggttgta	tttaagaatc	aagtcgatgc	840	
330	gttttcaggg	acgtgcagtg	ggtacttacg	tgtcgtcaag	attaagttgc	atgtgtgtaa	900	
332	atcaaaattt	tgtgagcctt	tctttctcag	tgttgtttca	acgactaccc	gatagggtga	960	
334	gatactgcaa	ggtgaggaga	ctagcctagt	tacagtttta	aattctctga	tcttcactcc	1020	
					tgtgttaaat		1080	
					ggtttgaatt		1140	
340	ataattatgt:	#btaggagcat	tagaaacgtg	aaatgttagt	gtgaccataa	aggttggaga	1200	
342	ctgagaagtc	acagaaaacc	cagctacttt	ggcttgcctt	actgcttgtc	caggtagaag	1260	_
344	taaattgctt	taaaaaactc	aagcagtgct	aggttgaaat	tttaatgcat	acttttacat	1320	
346	tcctgagagg	atcagtgaag	atagcaaact	ctcaaactac	ctctcttgtt	ttgatttcaa	1380	
348	agaaaatctg	agcccctaaa	tgttgtattg	atttgatgta	aggacttttt	tttttattat	1440	
350	tatactttaa	gttttagggt	acatgtgcac	aatgtgcagg	ttagttacat	gtgtatacat	1500	
352	gtgccatact	ggtgtgctgc	acccattaac	tcgtcattta	cattaggtat	atctcctaat	1560	
354	ggtatccctc	cccctcccc	ccaccccaca	acagtcccca	gggtgtgatg	ttccccttcc	1620	
356	tgtgtccatg	tgttctcatt	gttcaattcc	catctgtgag	tgagaacatg	cggtgtttgg	1680	
					tgaagcctct		1740	
					ttatattgga		1800	
					tattttaaat		1860	
					agctgttttg		1920	
					ttgctttttt		1980	
					cttttattt		2040	
					ggagtgcagt		2100	
					gcctgcctca		2160	
					ttttgtattt		2220	
					ggcctcaaat		2280	
					ctgcgcctgg		2340	
					agtctatgaa		2400	
	J J			_	gtaaataggc		2460	
					tcttgctgta		2520	
					aaaagaagag		2580	
					ttcaaggtaa		2640	
	_	-			gcccattgta		2700	
	_	-			ctcatttaaa	,	2760	
					atgttaagat		2820	
					gctcattaat		2880	
					ggctaactag		2940	
400	tgattttaaa	atagaaaatc	cttcctttat	accaagaaat	gtgagaacat	tctgcatttg	30.00	

Input Set : A:\15878.seq.txt

Output Set: N:\CRF4\05012006\J533595.raw

## Please Note:

Use of n and/or Xaa have been detected in the Sequence Listing. Please review the Sequence Listing to ensure that a corresponding explanation is presented in the <220> to <223> fields of each sequence which presents at least one n or Xaa.

```
Seq#:7; N Pos. 8258
Seq#:7; N Pos. 94801,94802,94803,94804,94805,94806,94807,94808,94809,94810
Seq#:7; N Pos. 94811,94812,94813,94814,94815,94816,94817,94818,94819,94820
Seq#:7; N Pos. 94821,94822,94823,94824,94825,94826,94827,94828,94829,94830
Seq#:7; N Pos. 94831,94832,94833,94834,94835,94836,94837,94838,94839,94840
Seq#:7; N Pos. 94841,94842,94843,94844,94845,94846,94847,94848,94849,94850
Seq#:7; N Pos. 94851,94852,94853,94854,94855,94856,94857,94858,94859,94860
Seq#:7; N Pos. 94861,94862,94863,94864,94865,94866,94867,94868,94869,94870
Seq#:7; N Pos. 94871,94872,94873,94874,94875,94876,94877,94878,94879,94880
Seq#:7; N Pos. 94881,94882,94883,94884,94885,94886,94887,94888,94889,94890
Seq#:7; N Pos. 94891,94892,94893,94894,94895,94896,94897,94898,94899,94900
Seq#:7; N Pos. >96509,96510,96511,96512,96513,96514,96515,96516,96517,96518
Seq#:7; N Pos. 96519,96520,96521,96522,96523,96524,96525,96526,96527,96528
Seq#:7: N Pos. 96529,96530,96531,96532,96533,96534,96535,96536,96537,96538
Seq#:7; N Pos. 96539,96540,96541,96542,96543,96544,96545,96546,96547,96548
Seq#:7; N Pos. 96549,96550,96551,96552,96553,96554,96555,96556,96557,96558
Seq#:7; N Pos. 96559,96560,96561,96562,96563,96564,96565,96566,96567,96568
Seq#:7; N Pos. 96569,96570,96571,96572,96573,96574,96575,96576,96577,96578
Seq#:7; N Pos. 96579,96580,96581,96582,96583,96584,96585,96586,96587,96588
Seq#:7; N Pos. 96589,96590,96591,96592,96593,96594,96595,96596,96597,96598
Seq#:7; N Pos. 96599,96600,96601,96602,96603,96604,96605,96606,96607,96608
Seq#:8; Xaa Pos. 2,4,5
Seq#:9; Xaa Pos. 2,4,5
```

VERIFICATION SUMMARY DATE: 05/01/2006
PATENT APPLICATION: US/10/533,595 TIME: 13:01:05

Input Set : A:\15878.seq.txt

```
L:3297 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:7 after pos.:8220
L:6183 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:7 after pos.:94800
L:6185 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:7 after pos.:94860
L:6239 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:7 after pos.:96480
L:6241 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:7 after pos.:96540
L:6243 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:7 after pos.:96600
L:9410 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:8 after pos.:0
L:9432 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:9 after pos.:0
```